



S
A
K
U
R
A
I

4
6
6

Sakurai 466SIP

For those who need four-up printing with plenty of extra room on the sheet, as well as three panel jobs, with a sheet size of 18-1/2 x 26", the 466 SIP is the perfect press.

The Sakurai 466 SIP is available as a straight or perfecting press. With a 15,000 iph running speed the new SIP models are full of automation like, Sakurai Auto Set (SAS), Automatic Plate Changers, Automatic Roller Washers, Automatic Perfector Changeover, Ultra Sonic Double Sheet Detector, Sakurai Color Console with an optional compatibility of a CIP4 interface, and by popular demand, steps on the operator side of the press.

The small footprint of the 466 SIP opens up more production space in any print shop.

Unique Features

- Sakurai's exclusive automatic plate changing system requires no tail edge bending. Ideal for conventional aluminum and polyester plates.
- Sakurai's breakthrough color console can remotely make adjustments easily and accurately.
- Sakurai's interactive touch panel display is standard.
- Continuous dampening system operates with a simple touch button control.
- Remote control running register adjustment with lateral and circumferential adjustment can be remotely achieved even on the run.
- The suction feed belt system offers easy feeder setup because no paper

holding wheels are on the feed board.

- Automatic ink roller wash-up.
- Automatic feeder, impression cylinder, and delivery presets.

Additional Features

- Blankets/Under Blankets (Complete)
 - Dampening Rollers (Complete)
 - Delivery Pile Board (2 Pieces)
 - Delivery Vacuum Wheels
 - Early & Late Sheet Detector
 - Electronic Double Sheet Detector
 - Extra Roller Cores
 - Feeder Pile Board (2 Pieces)
 - Inking Rollers (Complete)
 - Mechanical Double Sheet Detector
 - Mid Pile Delivery
 - Mis-Feed Detector
 - Motorized Delivery Pile Board
 - Motorized Feeder Pile Board
 - Oil Tray (1 Piece)
 - Pile Board Lateral Adjustment
 - Plate Cylinder Cocking
 - Plate Cylinder Running Register
 - Pneumatic Roller Control
 - Pre-Pile Feeder (2 Boards)
 - Preset Sheet Counter
 - Sakurai Color Console (SCC)
 - Segmented Ink Fountain Blades
 - Sheet Decurler
 - Side Lay Detector
 - SIS Control System with POD Display
 - Spray Powder Device
 - Static Eliminator
 - Suction Belt Feeder
 - Tool Box (Complete)
-
- Max Sheet Size: 26" x 18.5"
 - Min Sheet Size: 11.7" x 7.9"
 - Max Printable Size: 25.6" x 18.1"
 - Plate Size: 25.6" x 21.7"
 - Printing Speed: 4,000 - 15,000IPH
 - Sheet Thickness: .0016" - .016"

- Power Consumption: 26 Kw (4c), 35 Kw (5c)
- Machine Weight: 27,997lb (4c), 31,966lb (5c)
- Machine Dimension: 220" x 89" x 82" (L x W x H) 4 color
256" x 89" x 82" (L x W x H) 4 color

KW